

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	93	(applet WITH database) config\$ secur\$ "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 10:00
L2	0	"autonomous management session" "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 10:00
L3	243	config\$ manage\$ heartbeat start "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 13:03
L4	49	config\$ manage\$ heartbeat start (timestamp or seed) "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 13:03
S1	31086	network management database @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:49
S2	8798	network management database synch\$ device @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:49
S3	3733	applet config\$ browser @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:49
S4	3659	applet config\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:51
S5	114	applet config\$ browser network bootstrap @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:51
S6	58	applet config\$ browser network 709/220.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:42
S7	0	applet config\$ browser network kickstart bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:14
S8	92	applet config\$ browser network bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:14

S9	35	applet config\$ browser network 709/220.ccls. @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:47
S10	2184	applet config\$ browser network @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:47
S11	564	config\$ network 709/220.ccls. @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:48
S12	333	config\$ network 709/220.ccls. database @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:48
S13	1	"6834298".pn. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:33
S14	2176	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:50
S15	552	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:55
S16	37	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/220.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:51
S17	10	config\$.ti. (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:15
S18	644	config\$ (MAC or "physical address" or link?layer) SAME send network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:16
S19	647	config\$ (MAC or "physical address" or link?layer) SAME send @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:32
S20	0	config\$ "send using" SAME "physical address" @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:33

S21	0	config\$ "send using" SAME "MAC" @ad<"20010803" "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:33
S22	862	config\$ SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:35
S23	496	config\$ use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:35
S24	43	use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/220.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 13:47
S25	6469	"agilent technologies"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 13:48
S26	67	"agilent technologies" "709"/\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:00
S27	1660	applet database config\$ (deploy or send) "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:00
S28	156	applet WITH database config\$ (deploy or send) "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:05
S29	112	applet WITH database config\$ (deploy or send) secur\$ "709"/\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:09
S30	112	(applet WITH database) config\$ (deploy or send) secur\$ "709"/\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:29
S31	120	(applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:34
S33	1	"6260078".pn. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:35

S34	93	(applet WITH database) config\$ secur\$ "709"/\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 15:19
S35	47	(applet WITH library) config\$ secur\$ "709"/\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 09:08